

Detailed marking instructions for each question

Question		Generic scheme	Illustrative scheme	Max mark
1.		<p>Ans: 9600 (mm)</p> <ul style="list-style-type: none"> •¹ Strategy: know to calculate minimum length of brick x 50 •² Process/communication: answer 	<ul style="list-style-type: none"> •¹ $(194 - 2) \times 50$ •² 9600 	2

Notes:

1. Any attempted unit conversions must be correct for award of •²

Commonly Observed Responses :

- | | | |
|----|--|--------------|
| 1. | For $(194 \times 50) - 2$ leading to 9698. | award 1/2 x✓ |
| 2. | For $(194 + 2) \times 50$ leading to 9800. | award 1/2 x✓ |
| 3. | For 194×50 leading to 9700. | award 0/2 xx |

Question		Generic scheme	Illustrative scheme	Max mark
2.	(a)	<p>Ans: (£)2600</p> <ul style="list-style-type: none"> •¹ Strategy: know to calculate 2.5% of £6000 •² Process: calculate 2.5% of £6000 •³ Strategy/process: add commission to basic salary 	<ul style="list-style-type: none"> •¹ evidence •² 150 •³ 2600 	3

Notes:

1. Accept $6000 \div 2.5$ as evidence of knowing to calculate 2.5%.
2. •³ is only available for adding commission to £2450.

Commonly Observed Responses:

1. For 2.5% of £9000=£225 leading to a final answer of £2675. award 2/3 x✓✓
2. For 2.5% of £2450=£61.25 leading to a final answer of £2511.25. award 2/3 x✓✓
3. For 2.5% of £3000=£75 leading to a final answer of £2525. award 2/3 x✓✓
4. For 2.5% of £(9000-2450)=£163.75 leading to a final answer of £2613.75. award 2/3 x✓✓

Question		Generic scheme	Illustrative scheme	Max mark
2.	(b)	<p>Ans: (£)1870·39</p> <ul style="list-style-type: none"> •¹ Strategy: attempt to calculate gross pay - total deductions •² Process: calculate net pay 	<ul style="list-style-type: none"> •¹ evidence •² 1870·39 	2

Notes:

1. For reference: total deductions = 729·61

Commonly Observed Responses:

1. For candidates who calculate a gross salary in part (a) of £2675 leading to a net pay of £1945·39. award 2/2 ✓✓
2. For candidates who calculate a gross salary in part (a) of £2511·25 leading to a net pay of £1781·64. award 2/2 ✓✓
3. For candidates who calculate a gross salary in part (a) of £2525 leading to a net pay of £1795·39. award 2/2 ✓✓
4. For candidates who calculate a gross salary in part (a) of £2613·75 leading to a net pay of £1884·14. award 2/2 ✓✓

Question		Generic scheme	Illustrative scheme	Max mark														
3.	(a)	Ans: Points plotted correctly <ul style="list-style-type: none"> •¹ Communication: 4 points correct •² Communication: all 6 points correct 	<table border="1"> <tr> <td>D</td> <td>0</td> <td>60</td> <td>120</td> <td>160</td> <td>200</td> <td>260</td> </tr> <tr> <td>W</td> <td>40</td> <td>110</td> <td>130</td> <td>175</td> <td>220</td> <td>275</td> </tr> </table>	D	0	60	120	160	200	260	W	40	110	130	175	220	275	2
D	0	60	120	160	200	260												
W	40	110	130	175	220	275												

Notes:
1. If candidate inverts all coordinates award 1/2

Commonly Observed Responses:

	(b)	Ans: Line of best fit <ul style="list-style-type: none"> •¹ Strategy: consistent line of best fit 	<ul style="list-style-type: none"> •¹ 	1
--	-----	---	---	---


Notes:

Commonly Observed Responses:

	(c)	Ans: (days) <ul style="list-style-type: none"> •¹ Communication: answer consistent with line of best fit 	<ul style="list-style-type: none"> •¹ 	1
--	-----	--	---	---

Notes:
1. Accept answer rounded to the nearest 10 days.

Commonly Observed Responses:



Question	Generic scheme	Illustrative scheme	Max mark
4.	<p>Ans: No, supported by working.</p> <ul style="list-style-type: none"> •¹ Strategy: know how to calculate gradient •² Process: know how to compare gradients of new trail and blue trail •³ Strategy/ communication: consider the blue gradient and consistent conclusion 	<ul style="list-style-type: none"> •¹ 1·6/8 •² 4/20 (3/20 does not need to be explicitly stated) or 8/40 and 6/40 or 0·2 and 0·15 or equivalent •³ No, supported by working 	3
<p>Notes:</p> <ol style="list-style-type: none"> 1. For 1·6/8 followed by “No” with no other working. award 1/3 2. For 1·6/8 =5 followed by blue gradient 6·666... leading to “Yes”. award 2/3 3. •² can only be awarded for two gradients with the same denominator, or the same numerator, or for two decimal fractions. 4. •³ can only be awarded where two gradients with the same denominator, or the same numerator, or for two decimal fractions have been compared. 5. Special case: If a candidate’s answer for new trail is a top heavy fraction only •³ is available. This mark is only available if reference is made to a gradient from the table. 			
<p>Commonly Observed Responses:</p>			

Question		Generic scheme	Illustrative scheme	Max mark										
5.	(a)	<p>Ans: Bands D and A</p> <ul style="list-style-type: none"> •¹ Communication: state bands required 	<ul style="list-style-type: none"> •¹ $10 \times 14 + 1 = 141$, she needs bands D and A 	1										
<p>Notes:</p> <table> <tr> <td>1. Bands D and A without working</td> <td>award 1/1</td> </tr> <tr> <td>2. For 140 lbs leading to bands D and A</td> <td>award 1/1</td> </tr> <tr> <td>3. D and A circled on the table</td> <td>award 1/1</td> </tr> <tr> <td>4. Accept $10 \times 14 = 141$ bands D and A (treat as bad form)</td> <td>award 1/1</td> </tr> <tr> <td>5. For any incorrect calculation leading to bands D and A</td> <td>award 0/1</td> </tr> </table>					1. Bands D and A without working	award 1/1	2. For 140 lbs leading to bands D and A	award 1/1	3. D and A circled on the table	award 1/1	4. Accept $10 \times 14 = 141$ bands D and A (treat as bad form)	award 1/1	5. For any incorrect calculation leading to bands D and A	award 0/1
1. Bands D and A without working	award 1/1													
2. For 140 lbs leading to bands D and A	award 1/1													
3. D and A circled on the table	award 1/1													
4. Accept $10 \times 14 = 141$ bands D and A (treat as bad form)	award 1/1													
5. For any incorrect calculation leading to bands D and A	award 0/1													
Commonly Observed Responses:														
	(b)	<p>Ans: Shop 2</p> <ul style="list-style-type: none"> •¹ Process: calculate cost for shop 1 •² Process: calculate cost for shop 2 •³ Communication: conclusion consistent with working 	<ul style="list-style-type: none"> •¹ 49.50 •² 45.48 •³ Shop 2 	3										
		<p>Alternative Strategy:</p> <ul style="list-style-type: none"> •¹ Process: calculate discount for 1 shop •² Process: calculate discount for other two shops •³ Communication: conclusion consistent with working 	<ul style="list-style-type: none"> •¹ 26.30 or 30.32 or 27.81 •² remaining two •³ Shop 2 											
<p>Notes:</p> <p>1. •³ can only be awarded for comparing 3 costs or 3 discounts.</p>														
Commonly Observed Responses:														
<p>1. Shop 1 £49.50, Shop 2 £30.32, Shop 3 £47.99 leading to conclusion Shop 2 award 1/3 ✓xx</p>														

Question		Generic scheme	Illustrative scheme	Max mark
6.		<p>Ans: (£)6 286 500</p> <ul style="list-style-type: none"> •¹ Strategy/process: calculate one (£1) share •² Process: calculate total number of shares •³ Process: calculate total amount 	<ul style="list-style-type: none"> •¹ $2\,794\,000 \div 4 = 698\,500$ •² $2 \cdot 50 + 2 \cdot 00 + 4 \cdot 00 + 0 \cdot 50 = 9$ •³ $9 \times 698\,500 = 6\,286\,500$ 	3
		<p>Alternative Strategy 1</p> <ul style="list-style-type: none"> •¹ Strategy/process: calculate one (50p) share •² Process: calculate total number of shares •³ Process: calculate total amount 	<ul style="list-style-type: none"> •¹ $2\,794\,000 \div 8 = 349\,250$ •² $1 + 4 + 5 + 8 = 18$ •³ $18 \times 349\,250 = 6\,286\,500$ 	
		<p>Alternative Strategy 2</p> <ul style="list-style-type: none"> •¹ Strategy/process: calculate the amount for any teacher other than Mr Young •² Process: calculate the amount for another teacher •³ Process: calculate amount for final teacher and total amount 	<ul style="list-style-type: none"> •¹ Miss Smith 1 397 000 or Mr Jones 349 250 or Mr Ross 1 746 250 •² either of remaining two •³ $1\,397\,000 + 349\,250 + 1\,746\,250 + 2\,794\,000 = 6\,286\,500$ 	
<p>Notes:</p> <p>1. •² can be implied by subsequent working.</p>				
<p>Commonly Observed Responses:</p> <p>1. For $2\,794\,000 \div 9 = 310\,444 \cdot 44$ $310\,444 \cdot 44 \times 4 = 1\,241\,777 \cdot 76$. award 2/3 x✓✓</p>				

Question		Generic scheme	Illustrative scheme	Max mark
7.	(a)	Ans: 20 (cm²) <ul style="list-style-type: none"> •¹ Strategy: know how to calculate composite area •² Process: calculate area 	<ul style="list-style-type: none"> •¹ Evidence of any valid strategy •² eg $24 - 4 = 20$ 	2
Notes: 1. Accept $8 + 2 \times 2 = 20$ as bad form.				
Commonly Observed Responses: 1. For $2 \times 8 + 1 \times 4 + 1 \times 4 = 24$. award 1/2 ✓x 2. For calculation of two rectangles eg $4 \times 3 + 4 \times 2 = 20$ award 1/2 x✓				
	(b)	Ans: (£)30 <ul style="list-style-type: none"> •¹ Process: calculate the number of badges per pack •² Process: calculate the cost of enamel for 1 badge •³ Process: calculate selling price 	<ul style="list-style-type: none"> •¹ $180 \div 20 = 9$ •² $90 \div 9 = 10$ •³ $10 + 3 + 17 = 30$ 	3
		Alternative Strategy: <ul style="list-style-type: none"> •¹ Process: calculate the number of badges per pack •² Process: calculate the total cost of 9 badges •³ Process: calculate selling price 	<ul style="list-style-type: none"> •¹ $180 \div 20 = 9$ •² $9 \times 3 + 9 \times 17 + 90 = 270$ •³ $270 \div 9 = 30$ 	
Notes: 1. If the cost of the enamel is not considered then only • ¹ is available. 2. In the alternative strategy, if the candidates answer to • ² is not divisible by 9, • ³ is only available for an answer rounded or truncated to 2 decimal places.				
Commonly Observed Responses:				

Question	Generic scheme	Illustrative scheme	Max mark
8.	<p>Ans: $\frac{12}{100} \left(= \frac{3}{25} \right)$</p> <ul style="list-style-type: none"> •¹ Strategy: evidence of identifying the blood groups that B+ can help •² Communication: interpret stacked bar chart •³ Process: calculate fraction 	<ul style="list-style-type: none"> •¹ eg AB+ and B+ •² 3 people AB+ and 9 people B+ •³ $\frac{3+9}{100} = \frac{12}{100} \left(= \frac{3}{25} \right)$ 	3
<p>Notes:</p> <p>1. Correct answer with no working. award 3/3</p> <p>2. Accept 0.12, 12% or any fraction equivalent to $\frac{12}{100}$</p> <p>3. For any answer other than $\frac{12}{100}, \frac{62}{100}, \frac{15}{100}, \frac{9}{100}$ & $\frac{3}{100}$, with no working award 0/3</p>			
<p>Commonly Observed Responses:</p> <p>1. For an answer of $\frac{62}{100}$ (B+ row is taken from the chart instead of the B+ column) (with no working) award 2/3 x✓✓</p> <p>2. For an answer of $\frac{15}{100}$ (the complete bars for AB and B are taken from the chart) (with no working) award 2/3 x✓✓</p> <p>3. For an answer of $\frac{9}{100}$ (B+ only) award 1/3</p> <p>4. For an answer of $\frac{3}{100}$ (AB+ only) award 1/3</p>			

Question		Generic scheme	Illustrative scheme	Max mark
9.	(a)	<p>Ans: 27·42 (cm)</p> <ul style="list-style-type: none"> •¹ Strategy: correct substitution in Pythagoras' Theorem •² Process: calculate the missing side •³ Process: calculate length of the semi-circle •⁴ Process: calculate the perimeter of the shape 	<ul style="list-style-type: none"> •¹ eg $10^2 - 6^2$ •² $x = 8$ •³ $3 \cdot 14 \times 6 \div 2 = 9 \cdot 42$ •⁴ $10 + 8 + 9 \cdot 42 = 27 \cdot 42$ 	4

Notes:

1. •¹ and •² are available for correct answer without working (Pythagorean triple).
2. •¹ cannot be awarded if candidate writes $6^2 - 10^2$.
3. •² can be awarded if candidate writes $6^2 - 10^2$ leading to $x = 8$.
4. •⁴ is only available for adding 10 to two previously **calculated lengths**.
5. •⁴ is not available if the candidate states that they are adding **calculated areas**.

Commonly Observed Responses:

1. For $3 \cdot 14 \times 6 + 10 + 8$ leading to a final answer of 36·84. award 3/4 ✓✓x✓
2. For $\frac{1}{2} \times 3 \cdot 14 \times 3^2 + 10 + 8$ leading to a final answer of 32·31. award 3/4 ✓✓x✓
3. For $3 \cdot 14 \times 3^2 + 10 + 8$ leading to a final answer of 46·26. award 3/4 ✓✓x✓
4. For $\frac{1}{2} \times 3 \cdot 14 \times 6 + 10 + 8 + 6 + 6$ leading to a final answer of 39·42 award 3/4 ✓✓✓x

Question		Generic scheme	Illustrative scheme	Max mark
9.	(b)	<p>Ans: 13·56 (cm²)</p> <ul style="list-style-type: none"> •¹ Strategy: know how to calculate area of rectangular strip •² Process: calculate the area of the strip 	<ul style="list-style-type: none"> •¹ evidence •² $(27·42 - 0·3) \times \frac{1}{2} = 13·56$ 	2
<p>Notes:</p> <p>1. •¹ is available for evidence of subtracting 0·3 and then multiplying by 0·5</p>				
<p>Commonly Observed Responses:</p> <p>1. For $27·42 \times \frac{1}{2} = 13·71$ award 1/2 ×✓</p> <p>2. For $0·3 \times 0·5 = 0·15$ award 0/2 ××</p>				

[END OF MARKING INSTRUCTIONS]

Detailed marking instructions for each question

Question		Generic scheme	Illustrative scheme	Max mark
1.		<p>Ans: 2309 cm³ or 2309 ml or 2.309 l</p> <ul style="list-style-type: none"> •¹ Strategy: know how to calculate the volume of half a cylinder •² Strategy: substitute into formula •³ Process: calculate the volume and state units 	<ul style="list-style-type: none"> •¹ evidence •² $\frac{1}{2} \times \pi \times 7^2 \times 30$ •³ 2309.07...cm³ 	3
		<p>Alternative Strategy:</p> <ul style="list-style-type: none"> •¹ Strategy: know to calculate the area of the semi-circle and multiply it by 30 •² Strategy: substitute into semi-circle formula •³ Process: calculate the volume and state units 	<ul style="list-style-type: none"> •¹ evidence •² $\frac{1}{2} \times \pi \times 7^2$ •³ $76.96... \times 30 = 2309.07... \text{ cm}^3$ 	

Question	Generic scheme	Illustrative scheme	Max mark
Notes:			
1. ● ² only available when 7 is used as radius.			
2. Accept legitimate variations of π .			
3. For the final answer accept any legitimate rounding or truncation to at least 2 significant figures.			
4. Correct answer with no working award 0/3			
5. $V = Ah$ on its own is not sufficient evidence for ● ¹ .			
6. ● ³ is only available for calculations involving π , a power and at least one other number to find a volume.			
7. If formula does not involve π then award 0/3			
8. If $V = \frac{1}{3}\pi r^2 h \div 2$ is used, approximations of $\frac{1}{3}$ must be expressed to at least 2 decimal places. ● ² and ● ³ are available.			
9. If $V = \frac{4}{3}\pi r^3 \div 2$ is used, approximations of $\frac{4}{3}$ must be expressed to at least 2 decimal places. ● ² and ● ³ are available.			

Question	Generic scheme	Illustrative scheme	Max mark
Commonly Observed Responses:			
Working must be shown			
1. For $\frac{1}{2} \times 3 \cdot 14 \times 7^2 \times 30 = 2307 \cdot 9 \text{ cm}^3$		award 3/3 ✓✓✓	
2. For $\frac{1}{2} \times \pi \times 7^2 \times 14 = 1077 \cdot 56 \dots \text{cm}^3$		award 2/3 x✓✓	
3. For $\frac{1}{2} \times \pi \times 7^2 \times 30 \times 14 = 32326 \cdot 99 \dots \text{cm}^3$		award 2/3 x✓✓	
4. For $\pi \times 7^2 \times 30 = 4618 \cdot 14 \dots \text{cm}^3$		award 2/3 x✓✓	
5. For $3 \cdot 14 \times 7^2 \times 30 = 4615 \cdot 8 \text{ cm}^3$		award 2/3 x✓✓	
6. For $\frac{1}{2} \times \pi \times 14^2 \times 30 = 9236 \cdot 28 \dots \text{cm}^3$		award 2/3 ✓x✓	
7. For $\frac{1}{2} \times 3 \cdot 14 \times 14^2 \times 30 = 9231 \cdot 6 \text{ cm}^3$		award 2/3 ✓x✓	
8. For $\pi \times 7^2 = 153 \cdot 9 \dots \text{cm}^3$		award 1/3 x✓x	
9. For $\pi \times 14^2 \times 30 = 18472 \cdot 56 \dots \text{cm}^3$		award 1/3 xx✓	
10. For $3 \cdot 14 \times 14^2 \times 30 = 18463 \cdot 2 \text{ cm}^3$		award 1/3 xxx	
11. For $14 \times 7 \times 30 = 2940 \text{ cm}^3$		award 0/3 xxx	

Question		Generic scheme	Illustrative scheme	Max mark
2.	(a)	<p>Ans: (£)6150·64</p> <ul style="list-style-type: none"> •¹ Process: work out the cost of 8000 shares •² Strategy: know how to calculate percentage decrease •³ Strategy: know how to calculate percentage increase •⁴ Strategy: identify power •⁵ Process: calculate the value of the shares 	<ul style="list-style-type: none"> •¹ $8000 \times 0.73 = 5840$ •² Evidence of 0.97 •³ Evidence of 1.042 •⁴ ...² •⁵ 6150.64 	5
		<p>Alternative Strategy 1:</p> <ul style="list-style-type: none"> •¹ Strategy: know how to calculate percentage decrease •² Strategy: know how to calculate percentage increase •³ Strategy: identify power •⁴ Process: calculate value of 1 share •⁵ Process: calculate the value of 8000 shares 	<ul style="list-style-type: none"> •¹ Evidence of 0.97 •² Evidence of 1.042 •³ ...² •⁴ 0.768... •⁵ 6150.64 	
<p>Notes:</p> <ol style="list-style-type: none"> When working in pounds, where rounding or truncation has taken place, working must be given to at least 2 decimal places. Final answer must be given to 2 decimal places where necessary. 				
<p>Commonly Observed Responses:</p> <ol style="list-style-type: none"> For 6150.63 supported by working. award 5/5 ✓✓✓✓✓ For 6160 (percentage calculations on individual share price, rounded to nearest penny at each step) supported by working. award 5/5 ✓✓✓✓✓ For $1.054 \times 5840 = 6155.36$ award 2/5 ✓xxx✓ For $5840 \times 0.97 \times 1.042 = 5902.72$ award 4/5 ✓✓✓x✓ For $5664.80 + 5664.80 \times (0.042 \times 2) = 6140.64$ award 3/5 ✓✓✓xx 				

Question		Generic scheme	Illustrative scheme	Max mark
2.	(b)	<p>Ans: (£)4087.05</p> <ul style="list-style-type: none"> •¹ Strategy: know to calculate $\frac{5}{8}$ of 6560 and subtract commission •² Process: calculate amount received 	<ul style="list-style-type: none"> •¹ evidence •² 4087.05 	2

Notes:

1. Where •¹ is not awarded •² can be awarded for a calculation of the form $\frac{a}{b} \times \dots \pm 12.95$, where $\frac{a}{b}$ is equivalent to either $\frac{5}{8}$ or $\frac{8}{5}$.

Commonly Observed Responses:

1. $\frac{5}{8}$ of $6560 + 12.95 = 4112.95$ award 1/2×✓

Question	Generic scheme	Illustrative scheme	Max mark
3.	<p>Ans: (£)92·60</p> <ul style="list-style-type: none"> •¹ Process: calculate new price •² Process: calculate the deposit •³ Process: calculate amount still payable •⁴ Communication: state how much each monthly payment is 	<ul style="list-style-type: none"> •¹ $1260 + 151 \cdot 20 = 1411 \cdot 20$ •² $\frac{1}{3}$ of $1411 \cdot 20 = 470 \cdot 40$ •³ $470 \cdot 40 + 200 = 670 \cdot 40$ $1411 \cdot 20 - 670 \cdot 40 = 740 \cdot 80$ •⁴ $740 \cdot 80 \div 8 = 92 \cdot 60$ 	4

Notes:

1. Must have 0 at the end of 92·60 to gain final mark.
2. •⁴ is not available where candidate has divided their deposit by 8 - see COR 9 and 10

Commonly Observed Responses:

1. For $\frac{1}{3}$ of 1260 leading to 98·90 award 3/4 ✓x✓✓
2. Not subtracting 200 leading to 117·60 award 3/4 ✓✓x✓
3. Not subtracting deposit leading to 151·40 award 3/4 ✓✓x✓
4. $1411 \cdot 20$ leading to $1211 \cdot 20$ leading to $\frac{1}{3}$ of $1211 \cdot 20$ leading to 807·46
 $807 \cdot 46 \div 8 = 100 \cdot 93$ award 3/4 ✓x✓✓
5. For $\frac{1}{3}$ of 1260 leading to $(1260 - 420 - 200) \div 8 = 80$ award 2/4 xx✓✓
6. 12% of 1260 leading to 1411·20
 $\frac{1}{3}$ of 1260 = 420
 $1260 - 620 = 640$
 $640 \div 8 = 80$ award 2/4 ✓xxx
7. $1411 \cdot 20 \div 8 = 176 \cdot 40$ award 2/4 ✓xxx
8. $1260 \div 8 = 157 \cdot 50$ award 1/4 xxx✓
9. $470 \cdot 40 \div 8 = 58 \cdot 80$ award 2/4 ✓xxx
10. $420 \div 8 = 52 \cdot 50$ award 0/4 xxxx

Question		Generic scheme	Illustrative scheme	Max mark
4.	(a)	Ans: 71 <ul style="list-style-type: none"> •¹ Communication: calculate the most common heart rate 	<ul style="list-style-type: none"> •¹ 71 	1
Notes:				
Commonly Observed Responses:				
	(b)	Ans: 10 <ul style="list-style-type: none"> •¹ Communication: calculate either median •² Communication/process: calculate other median and difference 	<ul style="list-style-type: none"> •¹ 61 or 71 •² calculate other median and difference $71 - 61 = 10$ 	2
Notes:				
1. • ² can be awarded if difference is found using incorrect medians. 2. Correct answer with no working. award 2/2				
Commonly Observed Responses:				
1. $71 - 66 = 5$ (incorrect median for “before”) award 1/2 ✓ x 2. $74 \cdot 73 - 62 \cdot 6 = 12 \cdot 13$ (difference of means) award 1/2 x ✓ 3. $71 - 66 = 5$ (difference of modes) award 1/2 x ✓ 4. $36 - 29 = 7$ (difference of ranges) award 1/2 x ✓				

Question		Generic scheme	Illustrative scheme	Max mark
	(c)	<p>Ans: correct boxplot</p> <ul style="list-style-type: none"> •¹ Process: calculate lower quartile •² Process: calculate upper quartile •³ Communication: correct end points drawn •⁴ Communication: consistent box drawn 	<ul style="list-style-type: none"> •¹ $Q_1 = 67$ •² $Q_3 = 84$ •³ 59 and 95 •⁴ Box showing Q_1, Q_2 and Q_3 	4

Notes:

1. The boxplot must be drawn to a reasonable scale.
2. If an unsuitable scale is used a maximum of 3/4 is available.
3. If the boxplot is drawn for “before exercise” a maximum of 3/4 is available.
4. If no working is shown and the boxplot is correct award 4/4.
5. If no working is shown and Q_1 and Q_3 are both incorrect, •⁴ is still available if consistent median is shown on boxplot.
6. If no working is shown and only one of Q_1 or Q_3 is correct, award •¹.
•⁴ is still available if consistent median is shown on boxplot.

Commonly Observed Responses:

Question		Generic scheme	Illustrative scheme	Max mark
5.	(a)	Ans: 240(km) <ul style="list-style-type: none"> •¹ Process: calculate the distance from a scale drawing •² Process/communication: give answer in kilometres 	<ul style="list-style-type: none"> •¹ $8 \times 3000000 = 24000000$ •² $24000000 \div 100 \div 1000 = 240$ 	2

Notes:

1. Tolerance $\pm 1\text{mm}$ on candidate measurement

Commonly Observed Responses:

1. For 2·4, 24, 2400, 24000 etc..., with or without working award 1/2✓x

	(b)	Ans: 17 (knots) <ul style="list-style-type: none"> •¹ Strategy: know how to calculate average speed and to change hours and minutes to hours •² Strategy: know how to convert average speed into knots •³ Process/communication: calculate average speed to 2 significant figures 	<ul style="list-style-type: none"> •¹ $\frac{240}{7.5} = \dots$ •² $\dots \times 0.54 = \dots$ •³ $17.28 = 17$ (2 sig fig) 	3
--	-----	---	---	---

Notes:

1. Candidates must work to at least 3 significant figures throughout where appropriate.
2. •² can only be awarded for multiplying an average speed by 0.54 or equivalent.
3. •³ can only be awarded for a two-step calculation and rounding.

Commonly Observed Responses:

1. For $\frac{240}{450} \times 0.54 = 0.288 = 0.29$ award 2/3x✓✓
2. For $\frac{240}{7.3} \times 0.54 = 17.75\dots = 18$ award 2/3x✓✓

Question		Generic scheme	Illustrative scheme	Max mark	
5.	(c)	Ans: 139 (euro) <ul style="list-style-type: none"> •¹ Strategy: know how to calculate amount of euro •² Process: calculate remaining euro 	<ul style="list-style-type: none"> •¹ 55% of 2400×1·15... •² 1518 – 1379 = 139 	2	
Notes: 1. Where • ¹ is lost • ² is still available for a 3 step process.					
Commonly Observed Responses:					
	(d)	(i)	Ans: 7/32 <ul style="list-style-type: none"> •¹ Communication: state probability 	<ul style="list-style-type: none"> •¹ 7/32 	1
Notes: 1. 7:32 is not acceptable for • ¹					
Commonly Observed Responses:					
		(ii)	Ans: 1/28 <ul style="list-style-type: none"> •² Strategy/process: calculate denominator •³ Communication: state probability 	<ul style="list-style-type: none"> •² denominator of 28 •³ 1/28 	2
Notes: 1. If the answer to part (d)(i) is written as a ratio then 1:28 is acceptable for • ³ .					
Commonly Observed Responses: 1. For $\frac{1}{27}$ award 1/2 x✓ 2. For $\frac{28}{1}$ award 0/2 xx					

Question		Generic scheme	Illustrative scheme	Max mark
6.	(a)	<p>Ans: 102 (cages)</p> <ul style="list-style-type: none"> •¹ Strategy: know to calculate two arrangements •² Process: calculate one arrangement. •³ Process/communication: calculate second arrangement and make consistent conclusion 	<ul style="list-style-type: none"> •¹ Evidence •² $2 \cdot 25\text{m} \div 0 \cdot 75 = 3$ cages $15\text{m} \div 0 \cdot 85 = 17$ cages Total = $3 \times 17 \times 2 = 102$ cages •³ $2 \cdot 25\text{m} \div 0 \cdot 85 = 2$ cages $15\text{m} \div 0 \cdot 75 = 20$ cages exactly Total = $20 \times 2 \times 2 = 80$ 	3
<p>Notes:</p> <ol style="list-style-type: none"> When a candidate calculates two versions for one level and only doubles the larger, all three marks are still available. Where a candidate considers more than two arrangements do not award •¹. 				
<p>Commonly Observed Responses:</p> <ol style="list-style-type: none"> For volume of truck \div volume of cage = 109 award 0/3x x x 				

Question		Generic scheme	Illustrative scheme	Max mark
6.	(b)	<p>Ans: (£) 1026</p> <ul style="list-style-type: none"> •¹ Process: calculate basic pay •² Process: calculate overtime Pay •³ Process: calculate weekly gross pay 	<ul style="list-style-type: none"> •¹ $1\frac{1}{2} \times 14 \cdot 40 = 21 \cdot 60$ •² $8\frac{1}{2} \times 14 \cdot 40 \times 1 \cdot 5 = 183 \cdot 60$ •³ $(183 \cdot 60 + 21 \cdot 60) \times 5$ $= 205 \cdot 20 \times 5$ $= 1026$ 	3
		<p>Alternative Strategy 1:</p> <ul style="list-style-type: none"> •¹ Process: calculate 10 hours basic pay •² Process :calculate $8\frac{1}{2}$ hours at $\frac{1}{2}$ time •³ Process: calculate weekly gross pay 	<ul style="list-style-type: none"> •¹ $10 \times 14 \cdot 40 = 144$ •² $8\frac{1}{2} \times 7 \cdot 20 = 61 \cdot 20$ •³ $(144 + 61 \cdot 20) \times 5 = 1026$ 	
<p>Notes:</p> <p>1. •³ is available for adding basic pay, overtime pay and multiplying them by 5</p>				
<p>Commonly Observed Responses:</p>				

Question			Generic scheme	Illustrative scheme	Max mark
7.	(a)	(i)	Ans: 19·5(°) • ¹ Process: calculate mean	• ¹ $(24+22+19+18+17+17) \div 6 = 19\cdot5$	1
Notes: 1. Correct answer with no working. award 1/1					
Commonly Observed Responses: 1. $24+22+19+18+17+17 = 19\cdot5$ award 0/1					
		(ii)	Ans: 2·88 • ² Process: calculate $(x - \bar{x})^2$ • ³ Strategy: substitute into formula • ⁴ Process: calculate standard deviation	• ² 20·25, 6·25, 0·25, 2·25, 6·25, 6·25 • ³ $\sqrt{(41\cdot5 \div 5)}$ • ⁴ 2·88	3
Notes: 1. Alternative method Mark 2 - $\sum x = 117$ and $\sum x^2 = 2323$ 2. Where rounding or truncation has taken place, working must be given to at least 2 decimal places. 3. Accept rounding or truncation to at least one decimal place for the final answer. 4. Mark 4 can only be awarded when a 2 step calculation has taken place.					
Commonly Observed Responses:					
	(b)		Ans: two valid comments • ¹ Communication: comment regarding mean • ² Communication: comment regarding standard deviation	• ¹ eg on average Durban's temperatures are higher • ² eg Durban's temperatures are less consistent	2
Notes: 1. Examples of unacceptable comments: The weather is warmer in Durban compared to Cape Town (no mention of average) The weather varies more in Durban compared to Cape Town (no mention of temperature)					
Commonly Observed Responses:					

Question		Generic scheme	Illustrative scheme	Max mark
7.	(c)	<p>Ans: New York and London</p> <ul style="list-style-type: none"> •¹ Strategy/process : calculate one local time •² Strategy/process: calculate the other two local times •³ Communication: state offices which can take part 	<ul style="list-style-type: none"> •¹ Mumbai 9:00pm London 1:30pm New York 8:30am •² calculate remaining two local times •³ New York and London 	3
		<p>Alternative Strategy 1:</p> <ul style="list-style-type: none"> •¹ Strategy/process: calculate one time difference •² Strategy/process :calculate remaining two time differences •³ Communication: state offices which can take part 	<ul style="list-style-type: none"> •¹ Mumbai +5 hrs 30 mins London –2 hrs New York –7 hrs •² calculate remaining two differences •³ New York and London 	
		<p>Alternative Strategy 2:</p> <ul style="list-style-type: none"> •¹ Strategy/process: calculate how long until 3:30pm •² Strategy/process :calculate all three of the local times •³ Communication: state offices which can take part 	<ul style="list-style-type: none"> •¹ 22 hours 5 minutes •² Mumbai 9:00pm London 1:30pm New York 8:30am •³ New York and London 	
<p>Notes:</p> <p>1. Correct answer with no working award 0/3. 2. Converting between 12 and 24 hour time with no other working and the correct conclusion award 0/3.</p>				
<p>Commonly Observed Responses:</p>				

Question		Generic scheme	Illustrative scheme	Max mark
8.	(a)	<p>Ans: 707 (mm)</p> <ul style="list-style-type: none"> •¹ Strategy: calculate short sides of triangle •² Strategy: evidence of the correct form of Pythagoras' theorem •³ Process: calculate length of hypotenuse of triangle 	<ul style="list-style-type: none"> •¹ 500 •² $500^2 + 500^2$ •³ 707·1068... 	3

Notes:

Commonly Observed Responses:

	(b)	<p>Ans: 685000(mm²)</p> <ul style="list-style-type: none"> •¹ Strategy: evidence of calculating the area of the square encasing pentagonal shower base and subtract area of missing triangle •² Process: calculate area of pentagonal base 	<ul style="list-style-type: none"> •¹ $900^2 - \frac{1}{2} \times 500 \times 500$ •² $810000 - 125000 = 685000$ 	2
--	-----	--	---	---

Notes:

1. If the candidate converts units incorrectly do not award •².

Commonly Observed Responses:

Question		Generic scheme	Illustrative scheme	Max mark
8.	(c)	<p>Ans: Zuzanna should pick the offset quadrant (since $732743 \text{ mm}^2 > 685000 \text{ mm}^2$)</p> <ul style="list-style-type: none"> •¹ Strategy: evidence of quarter circle added to rectangles •² Process: calculate the area of the quarter circle •³ Process: calculate area of shower tray •⁴ Communication: conclusion consistent with working 	<ul style="list-style-type: none"> •¹ Evidence •² $\frac{1}{4} \times \pi \times 600 \times 600 = 282743$ •³ $282743 + 450000 = 732743$ •⁴ Zuzanna should pick the offset quadrant (since $732743 \text{ mm}^2 > 685000 \text{ mm}^2$) 	4
		<p>Alternative Strategy 1:</p> <ul style="list-style-type: none"> •¹ Strategy: evidence of whole square minus area that is not part of the base. •² Process: calculate the area of the quarter circle •³ Process: calculate area of shower tray •⁴ Communication: conclusion consistent with working 	<ul style="list-style-type: none"> •¹ Evidence •² $\frac{1}{4} \times \pi \times 600 \times 600 = 282743$ •³ $810000 - (360000 - 282743) = 732743$ •⁴ Zuzanna should pick the offset quadrant (since $732743 \text{ mm}^2 > 685000 \text{ mm}^2$) 	

Question	Generic scheme	Illustrative scheme	Max mark
<p>Notes:</p> <ol style="list-style-type: none"> ●² is available for finding area of a whole circle or any fraction of a circle with radius 600. If the candidate uses the same incorrect unit conversion in part (c) as in part (b) do not penalise again. ●³ is only available for adding to 450000 (does not apply to the alternative strategy). In alternative strategy, ●³ is only available for subtracting from 810000. Disregard incorrect numerical comparison in conclusion. 			
<p>Commonly Observed Responses:</p> <p>In the following cases: ●⁴ is also available for consistent conclusion.</p> <ol style="list-style-type: none"> For $\frac{1}{4} \times 3.14 \times 600 \times 600 = 282600$ leading to answer of 732600 award ●¹, ●² and ●³. For $\frac{1}{4} \times 3.14 \times 300 \times 300 = 70650$ leading to answer of 520650 award ●¹ and ●³. For $810000 - 282743 = 527257$ award ●² and ●³. (Whole square minus quarter circle). 			

[END OF MARKING INSTRUCTIONS]